

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20221
www.uspto gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/682,699	10/05/2001	Jean Helen Brittain	GEMS8081.060	1546
27061	7590 02/13/2003			
ZIOLKOWSKI PATENT SOLUTIONS GROUP, LLC (GEMS)			EXAMINER	
14135 NORT MEQUON, V	I CEDARBURG ROAD I 53097)	FETZNER, TIFFANY A	
			ART UNIT	PAPER NUMBER
			2862	
			DATE MAILED: 02/13/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No. 09/682,699

Applicant(s)

Brittain

Examiner

Tiffany Fetzner

Art Unit 2862



	pears on the cover sheet with the correspondence address
Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS	SET TO EVEIDE 2 MONITURE COOM
THE MAILING DATE OF THIS COMMUNICATION.	
	a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the
- If the period for reply specified above is less than thirty (30) days, a reply wi	apply and will expire SIX (8) MONTHS from the mailing date of this communication. ause the application to become ABANDONED (35 U.S.C. § 133).
Status	
1) X Responsive to communication(s) filed on Oct 5	5, 2001
2a) ☐ This action is FINAL . 2b) ☒ This	s action is non-final.
closed in accordance with the practice under E	nce except for formal matters, prosecution as to the merits is ix parte Quayle, 1935 C.D. 11; 453 O.G. 213.
Disposition of Claims	
4) 💢 Claim(s) <u>1-30</u>	is/are pending in the application.
4a) Of the above, claim(s)	is/are withdrawn from consideration.
5) Claim(s)	
	is/are rejected.
7) Claim(s)	
_	are subject to restriction and/or election requirement.
Application Papers	
9) \square The specification is objected to by the Examine	r.
10) The drawing(s) filed on Oct 5, 2001 is	drea) \square accepted or b) $ ot\!$
	he drawing(s) be held in abeyance. See 37 CFR 1.85(a).
11) The proposed drawing correction filed on	is: a) \square approved b) \square disapproved by the Examiner.
If approved, corrected drawings are required in re	ply to this Office action.
12) \square The oath or declaration is objected to by the Ex	aminer.
Priority under 35 U.S.C. §§ 119 and 120	·
13) Acknowledgement is made of a claim for foreig	n priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some* c) ☐ None of:	
1. \square Certified copies of the priority documents	have been received.
2. Certified copies of the priority documents	have been received in Application No
application from the International B	ty documents have been received in this National Stage Bureau (PCT Rule 17.2(a)).
*See the attached detailed Office action for a list of	
14) Acknowledgement is made of a claim for domes	
a) U The translation of the foreign language provisi	
	stic priority under 35 U.S.C. §§ 120 and/or 121.
Attachment(s) 1) X Notice of References Cited (PTO-892)	4) Interview Summary (PTO-413) Paper No(s).
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Interview Summary (PTO-413) Paper No(s). Notice of Informal Patent Application (PTO-152)
3) X Information Disclosure Statement(s) (PTO-1449) Paper No(s)2	6) Other:
	

Application/Control Number: 09/682,699 Page 2

Art Unit: 2862

DETAILED ACTION

1. Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claim 26 (i.e. "Fourier transforming MR data in z") recites the limitation "MR data" in line 2 and depends from claim 22, but claim 26 lacks teaching that the computer method is implemented on an "MR system" therefore there is insufficient antecedent basis for this limitation in the claim.

4. Drawings

- 5. Figures 1-7 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.
- 6. Applicant is required to submit a proposed drawing correction in response to this Office Action. Any proposal by the applicant for amendment of the drawings to cure defects must consist of two parts:
 - A. A separate letter to the Draftsman in accordance with M.P.E.P. (608.02(r); and
 - B. A print or pen-and-ink sketch showing changes in red ink in accordance with M.P.E.P. (608.02(v)).

IMPORTANT NOTE: The filing of new formal drawings to correct the noted defect may be deferred until the application is allowed by the examiner, but the print or

Application/Control Number: 09/682,699 Page 3

Art Unit: 2862

pen-and-ink sketch with proposed corrections shown in red ink is required in response to this Office Action, and may not be deferred.

7. Claim Rejections - 35 USC § 102

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 9. Claims 1-29 are rejected under 35 U.S.C. 102(e) as being anticipated by Machida US Patent Application Publication US 2002/0115929 A1 published August 22nd 2002 which has an effective filing date available under 35 U.S.C. 102(e) of September 21st 2001. The examiner notes that the instant application is a CIP of US patent application 09/681,420 filed march 30th 2001, however the CIP information of applicant's disclosure has a filing date of October 5th 2001, therefore the Machida reference is available as prior art against the CIP feature of "continuous motion" taught in applicant's claims.
- 10. With respect to Claim 1, Machida teaches and suggests "A method of imaging large volumes without resulting slab-boundary artifacts comprising: defining a desired FOV larger than

Art Unit: 2862

an optimal imaging volume of an MR scanner;" [See Machida page 1 paragraphs 0014, 0015, 0005; page 2 paragraphs 0020, 0021, and page 7 paragraph 0114] Machida also teaches, shows, and suggests "selecting a slab thickness in a first direction that is smaller than the desired FOV and within the optimal imaging volume of the MR scanner;" [See Machida page 1 paragraphs 0015, 0016, page 2 paragraph 0020; page 5 paragraphs 0064; and Figures 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] "and continuously moving one of the optimal imaging volume and an imaging object in the first direction while repeatedly exciting and encoding spins with readout in the first direction to acquire data that is restricted to the selected slab thickness until at least one image of the FOV can be reconstructed". [See Machida abstract, page 1 paragraph 0015 through page 7 paragraph 0114; and Figures 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b]

- 11. With respect to Claim 2, Machida teaches, shows and suggests "the step of using another set of MR data to track motion of one of the optimal imaging volume and an imaging object". [See Machida page 2 paragraph 0018 page 4 paragraph 0053 through page 6 paragraph 0088 and Figures 2, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claim 1 also apply to claim 2.
- With respect to Claim 3, Machida teaches, and suggests "reconstructing the acquired data to form at least one of a 2D image and a 3D image." [See Machida page 3 paragraph 0048, where the use of two-dimensional or three-dimensional Fourier image reconstruction directly suggests the reconstruction of "at least one of a 2D image and a 3D image" page 6 paragraph 0099 and Figure 1] The same reasons for rejection, that apply to claim 1 also apply to claim 3

- 13. With respect to Claim 4, Machida teaches, shows, and suggests "the step of using a portion of the acquired MR data to track motion of one of the optimal imaging volume and an imaging object." [See Machida page 4 paragraph 0053 through page 7 paragraph 0114 and Figures 2, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claim 1 also apply to claim 4.
- 14. With respect to Claim 5, Machida teaches, shows, and suggests "restricting data acquisition by encoding and filtering data so as to acquire data that is limited to the selected slab thickness." [See Machida page 4 paragraph 0056 through page 5 paragraph 0066; page 1 paragraph 0016; page 2 paragraphs 0023 through 0025; page 7 paragraphs 0103 through 0115; abstract and Figures 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claim 1 also apply to claim 5.
- 15. With respect to Claim 6, Machida teaches, shows, and suggests "restricting excitation in at least one direction other than the first direction." [See Machida page 2 paragraph 0019; page 6 paragraphs 0090 through page 7 paragraph 0115; page 1 paragraph 0015, and Figures 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claim 1 also apply to claim 6.
- 16. With respect to Claim 7, Machida teaches, shows, and suggests "the first direction is defined as a z-direction." [See Machida page 4 paragraph 0053; Figures 2,4a, 4b, 4c, 4d, 5a,] The same reasons for rejection, that apply to claim 1 also apply to claim 7.
- 17. With respect to Claim 8, Machida teaches, shows, and suggests "each MR data acquisition during continuous movement includes acquiring all k-space data in a direction of motion of a patient table for a selected subset of transverse k-space data." [See Machida page 4

Art Unit: 2862

paragraph 0053 through page 6 paragraph 0099; Figures 2,3, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claim 1 also apply to claim 8.

- 18. With respect to Claim 9, Machida teaches, shows, and suggests "reducing, exam time by imaging during table motion." [See Machida page 2 paragraph 0025; page 6 paragraph 0088; page 7 paragraphs 0110 through paragraph 0114; Figures 2,3, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claim 1 also apply to claim 9.
- 19. With respect to Claim 10, Machida teaches, shows, and suggests "processing the set of MR data using a gridding reconstruction". [See Machida page 5 paragraphs 0064, 0065; 0084 through page 6 paragraph 0088; Figures 2, 4a, 4b, 4c, 4d, 6, 7a and 7b] The same reasons for rejection, that apply to claim 1 also apply to claim 10.
- With respect to Claim 11, Machida teaches, shows, and suggests "the step of maintaining a position of slab thickness fixed relative to a magnet of the MR scanner during imaging of the desired FOV and the continuous moving of one of the optimal imaging volume and the imaging object. [See Machida page 1 paragraphs 0016, 0017, page 4 paragraph 0053 through page 5 paragraph 0066; Figures 2, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claim 1 also apply to claim 11.
- With respect to Claim 12, Machida teaches, shows, and suggests "applying gradient waveforms on an axis parallel to the first direction while acquiring imaging data." [See Machida page 3 paragraphs 0042, 0043; page 4 paragraph 0053 through page 6 paragraph 0091; Figures 2, 3] The same reasons for rejection, that apply to claim 1 also apply to claim 12.

Art Unit: 2862

22. With respect to Claim 13, Machida teaches, shows, and suggests "processing MR data to account for accrued phase resulting from table velocity; [See Machida page 6 paragraph 0090 through page 7 paragraph 0114; Figures 5a, 5b, 6, 7a and 7b] "transforming MR data in a z-direction;" [See Machida page 3 paragraphs 0040 and 0048] "correcting the MR data for spatial variations in the magnetic field in the direction of motion" [See Machida page 7 paragraph 0106 through paragraph 0114; Figures 5b, 6] "removing unnecessary data at the beginning and ending of each acquisition;" [See Machida page 4 paragraph 0053 through page 6 paragraph 0089; Figures 1, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] and "sorting, interpolating, and aligning the transformed MR data to match anatomic locations in the first direction." [See Machida page 4 paragraph 0053 through page 6 paragraph 0088; Figures 1, 3, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claim 1 also apply to claim 13.

Page 7

- 23. With respect to Claim 14, Machida teaches, and suggests "reconstructing an MR image by transforming the z-transformed MR data in remaining transverse dimension(s)." [See Machida page 3 paragraphs 0048, 0049; page 4 paragraph 0053 through page 7 paragraph 0114] The same reasons for rejection, that apply to claims 1, 13 also apply to claim 14.
- 24. With respect to Claim 15, Machida teaches, and suggests "gridding the transformed MR data in dimension(s) perpendicular to the first direction to reconstruct an MR image. [See Machida page 3 paragraph 0048, page 6 paragraph 0090 through page 7 paragraph 0114] The same reasons for rejection, that apply to claims 1, 13 also apply to claim 15.
- 25. With respect to Claim 16, Machida teaches, and suggests "An MRI apparatus to acquire multiple sets of MR data with a moving table and reconstruct MR images without slab-boundary

artifacts comprising: a magnetic resonance imaging (MRI) system having a plurality of gradient coils positioned about a bore of a magnet to impress a polarizing magnetic field, [See Machida Figure 1, page 2 paragraph 0036 through page 4 paragraph 0051] "and an RF transceiver system and an RF switch controlled by a pulse module to transmit RF signals to an RF coil assembly to acquire MR images" [See Machida Figure 1 page 2 paragraph 0036 through page 4 paragraph 0051] "a patient table movable fore and aft in the MRI system about the magnet bore" [See Machida Figure 1, page 3 paragraph 0041, Figure 1] "and a computer" [See Machida Figure 1] page 2 paragraph 0045 through page 4 paragraph 0056, host computer component 6] Machida teaches, and suggests that the computer is programmed to: "receive input defining a desired FOV larger than an optimal imaging volume of the MRI system; define a fixed slab with respect to the magnet to acquire MR data, acquire full MR data with frequency encoding in a direction of table motion, defined as z-direction, for a selected subset of the MR data acquired in at least one transverse dimension in the fixed slab; continuously move the patient table while maintaining position of the fixed slab; determine patient table position; and repeat the acquire and determine acts while the patient table is moving until an MR data set is acquired across the desired FOV to reconstruct an image of the FOV", [See Machida page 2 paragraph 0015 through page 7 paragraph 0114; Figures 1, 3, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] Additionally each of these limitations were already addressed in the rejection of claim 1, therefore the same reasons for rejection, that apply to claim 1, also apply to claim 16 and need not be reiterated.

26. With respect to Claim 17, Machida teaches, and suggests "the computer is further programmed to transmit magnetic gradient waveforms to encode a k-space trajectory that is

Art Unit: 2862

uniform in kz" [See Machida page 3 paragraph 0040 through page 6 paragraph 0088; Figures 1, 2, 3, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claims 1, 16, also apply to claim 17 and need not be reiterated.

- 27. With respect to Claim 18, which is the apparatus version of claims 7, 13, and 14 combined Machida teaches, and suggests that "the computer is further programmed to transform MR data with respect to z; align the z-transformed MR data to match anatomy across slab boundaries; and transform the z-transformed MR data with respect to at least one remaining dimension to reconstruct an MR image", for the same reasons provided in the rejections of claims 7, 13, and 14 of for rejection, that need not be reiterated therefore the same reasons for rejection, that apply to claims 1, 7, 13, 14, and 16, also apply to claim 18.
- With respect to Claim 19, this claim (i.e. "applying an RF pulse to excite a volume of interest; applying a k-space trajectory to encode the volume of interest, and filtering the acquired MR data to restrict the MR data to the defined fixed slab") is just an equivalent version of method claim 5 in apparatus form, therefore the same reasons for rejection, that apply to claims 1, 5, and 16, also apply to claim 19 and need not be reiterated.
- With respect to Claim 20, Machida teaches, shows and suggests "continuously moving the patient table to acquire the MR data set across the desired FOV." [See Machida abstract page 4 paragraph 0053 through page 5 paragraph 0066; Figures 1, 2, 3, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claims 1, 16, also apply to claim 20 and need not be reiterated.

- 30. With respect to Claim 21, Machida teaches, shows and suggests "acquiring all kz data for a selected subset of transverse k-space data, defining a set of magnetic field gradient waveforms to incrementally encode and acquire data in a given slab; and applying the set of magnetic field gradient waveforms in a cyclic order." [See Machida abstract page 2 paragraph 0039 through page 6 paragraph 0088; Figures 1, 2, 3, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claims 1, 16, also apply to claim 21 and need not be reiterated.
- 31. With respect to Claim 22, Machida teaches, shows and suggests "computer program to control a medical image scanner and create images across scanning boundaries without boundary artifacts" [See Machida abstract page 1 paragraph 0015 through page 7 paragraph 0114; Figures 1, 2, 3, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b], "the computer program having a set of instructions to control a computer to: select an FOV spanning an area greater than a predefined optimal imaging area of the medical image scanner;" [See Machida abstract page 1 paragraph 0015 through page 7 paragraph 0114; especially page 4 paragraph 0063 through page 5 paragraph 0066; Figures 1, 2, 3, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] "apply an RF pulse to excite a region in at least a first direction in the selected FOV" [See Machida abstract page 4 paragraph 0053 through page 6 paragraph 0088; Figures 1, 2, 3, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] "apply magnetic field gradients to encode the region in the first direction;" [See Machida abstract page 2 paragraph 0039 through page 6 paragraph 0088; Figures 1, 2, 3, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] "acquire k-space data in the first direction for a subset of at least one additional direction;" [See Machida abstract page 6 paragraph 0090 through page 7 paragraph 0114; Figures 5b, 6, 7a and

7b] "continuously reposition the predefined optimal imaging area with respect to an imaging object without interruption of motion;" [See Machida abstract page 6 paragraph 0090 through page 7 paragraph 0114; Figures 5b, 6, 7a and 7b] "track continuous movement of the predefined optimal imaging area with respect to an imaging object;" [See Machida abstract page 5 paragraph 0064 through page 6 paragraph 0066; Figures 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] "and repeat the image data acquisition during continuous movement of the predefined optimal imaging area with respect to an imaging object until complete image data are acquired across the entire FOV to reconstruct an image of the FOV". [See Machida abstract page 2 paragraph 0015 through page 7 paragraph 0114; Figures 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claims 1, 16, also apply to claim 22 and need not be reiterated.

Page 11

- 32. With respect to Claim 23, Machida teaches, shows and suggests "the k-space data includes either one of 2D or 3D k-space data" [See Machida abstract page 3 paragraph 0048] "and having further instructions to acquire the k space data using frequency encoding in a direction of table movement". [See Machida abstract page 6 paragraph 0090 through page 7 paragraph 0114; Figures 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claims 1, 16, 22 also apply to claim 23 and need not be reiterated.
- 33. With respect to Claim 24, Machida teaches, shows and suggests "complete k-space data is acquired in z for a subset of at least one additional dimension." [See Machida page 6 paragraph 0090 through page 7 paragraph 0114; Figures 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claims 1, 16, 22, 23 also apply to claim 24 and need not be reiterated.

Art Unit: 2862

34. With respect to Claim 25, Machida teaches, shows and suggests "continuously moving a

reconstruction of a given slab." [See Machida abstract, page 1 paragraph 0015 through page 7

patient table for a number of acquisitions until a set of k space data are acquired for image

paragraph 0114; Figures 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that

apply to claims 1, 16, 22 also apply to claim 25 and need not be reiterated.

35. With respect to Claim 26, Machida teaches, shows and suggests "Fourier transform MR

data" [See Machida abstract, page 3 paragraph 0048] "in z;" [See Machida abstract, page 3

paragraph 0040] "sort and align the z-transformed MR data to match anatomic locations in z to

fill a matrix." [See Machida page 4 paragraph 0053 through page 6 paragraph 0088; Figures 1, 3,

4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claims 1, 16, 22

also apply to claim 26 and need not be reiterated.

36. With respect to Claim 27, Machida teaches, shows and suggests "maintaining a position

of a slab thickness fixed, relative to a magnet of the medical image scanner, during the imaging of

the desired FOV and while repositioning the optimal imaging area" because this claim is just an

equivalent version of method claim 11 in apparatus form, therefore the same reasons for

rejection, that apply to claims 1, 11, 16, 22 also apply to claim 27 and need not be reiterated.

With respect to Claim 28, Machida teaches, shows and suggests "the first direction is a z

direction" [See page 3 paragraph 0040] "and the MR data acquired in the z-direction is

represented in a number of retained pixels, and where MR data is acquired every sequence

repetition and during table movement, and wherein the magnetic field gradients encode a

trajectory that is uniform in kz". [See Machida page 2 paragraph 0039 through page 7 paragraph

0114; Figures 1, 2, 3, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claims 1, 16, 22 also apply to claim 28 and need not be reiterated.

- 38. With respect to Claim 29, Machida teaches, shows and suggests "acquiring all kz data for a selected subset of transverse k-space; defining a set of magnetic field gradient waveforms to incrementally acquire data in each slab; and applying the set of magnetic field gradient waveforms over each slab." [See Machida page 2 paragraph 0039 through page 7 paragraph 0114; Figures 1, 2, 3, 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a and 7b] The same reasons for rejection, that apply to claims 1, 16, 22 also apply to claim 29 and need not be reiterated.
- 39. Claims 1-4, 7, 8, 10-12, and 22 are rejected under 35 U.S.C. 102(b) as being anticipated by the Dietrich et al., article "Extending the coverage of true volume scans by continuous movement of the subject" by Olaf Dietrich and Joseph V. Hajnal from The Robert Steiner Magnetic Resonance Unit, Hammersmith Hospital, Du Cane Road, London W120HS 1999.
- 40. With respect to Claim 1, the Dietrich et al., article teaches and suggests "A method of imaging large volumes without resulting slab-boundary artifacts comprising: defining a desired FOV larger than an optimal imaging volume of an MR scanner;" [See Dietrich et al., Discussion col. 2 where the teaching of scanning (i.e. MR scanning) over regions of space that are much longer than supported by limitations in magnet homogeneity, directly suggests that "the desired FOV is larger than an optimal imaging volume" (i.e. the area of magnetic homogeneity) "of an MR scanner;"] Dietrich et al., teaches and suggests "selecting a slab thickness in a first direction" (i.e. 2-4cm) "that is smaller than the desired FOV" (i.e. 2-4cm is less than the desired FOV of 20cm) "and within the optimal imaging volume of the MR scanner;" (i.e. 2-4cm. Is less than the

optimal range of 5cm.), [See Dietrich et al., col. 1- col. 2 under METHODS where the slab thickness along z is 2-4cm; with a desired field-of-view (FOV) of 20cm., with an optimal imaging range of 5cm.] Dietrich et al., also teaches and suggests "continuously moving one of the optimal imaging volume and an imaging object in the first direction while repeatedly exciting and encoding spins with readout in the first direction to acquire data that is restricted to the selected slab thickness until at least one image of the FOV can be reconstructed." [See Dietrich et al., col. 1col. 2 under INTRODUCTION, CONCEPT, and METHODS.]

Page 14

- 41. With respect to Claim 2, the Dietrich et al., article teaches and suggests "the step of using another set of MR data to track motion of one of the optimal imaging volume and an imaging object." [See Dietrich et al., col. 1 under CONCEPT, where repeating the phase encoding sequence without pausing after the full primary and secondary phase encoding is complete directly suggests that "another set of MR data is being used by Dietrich et al., "to track motion of one of the optimal imaging volume and an imaging object."] The same reasons for rejection, that apply to claim 1 also apply to claim 2.
- 42. With respect to Claim 3, the Dietrich et al., article teaches and suggests "reconstructing the acquired data to form at least one of a 2D image and a 3D image". [See Dietrich et al., Figure 1 a and b; col. 1- col. 2 under INTRODUCTION, CONCEPT, and METHODS which teach 3D reconstruction and show a two-dimensional reconstruction.] The same reasons for rejection, that apply to claim 1 also apply to claim 3
- With respect to Claim 4, the Dietrich et al., article teaches and suggests "using a portion 43. of the acquired MR data to track motion" (i.e. the shifts along the z-axis prior to a Fourier

Transform in both phase encoding directions) "of one of the optimal imaging volume and an imaging object." [See Dietrich et al., col. 1 under CONCEPT, paragraph 1 sentences 5 and 6] The same reasons for rejection, that apply to claim 1 also apply to claim 4.

- 44. With respect to Claim 7, the Dietrich et al., article teaches and suggests "the first direction is defined as a z-direction." [See Dietrich et al., col. 1 under CONCEPT, paragraph 1 sentence 2] The same reasons for rejection, that apply to claim 1 also apply to claim 7.
- With respect to Claim 8, the Dietrich et al., article teaches and suggests that "each MR data acquisition during continuous movement includes acquiring all k-space data in a direction of motion of a patient table for a selected subset" (i.e. a slab) "of transverse" (i.e. frequency or phase) "k-space data." [See Dietrich et al., col. 1 under CONCEPT, paragraph 1 sentence 2]. The same reasons for rejection, that apply to claim 1 also apply to claim 8.
- With respect to Claim 10, the Dietrich et al., article teaches and suggests "processing the set of MR data using a gridding reconstruction." [See Dietrich et al., Figure 1 a and b; col. 1-col. 2 under INTRODUCTION, CONCEPT, and METHODS which teach 3D reconstruction and realignment of each line,. (i.e. the realignment for x, y, and / or z, directly suggests a grid type of reconstruction).] The same reasons for rejection, that apply to claim 1 also apply to claim 10.
- With respect to Claim 11, the Dietrich et al., article teaches and suggests "the step of maintaining a position of slab thickness fixed relative to a magnet of the MR scanner during imaging of the desired FOV and the continuous moving of one of the optimal imaging volume and the imaging object" because Dietrich et al., teaches that lines of full z encoded data are obtained with the position of the subject almost constant. [See Dietrich et al., Figure 1 a and b; col. 1- col.

Art Unit: 2862

2 under INTRODUCTION, CONCEPT, and METHODS; especially CONCEPT col. 1 paragraph 1 sentence 4] The same reasons for rejection, that apply to claim 1 also apply to claim 11.

48. With respect to Claim 12, the Dietrich et al., article suggests "applying gradient waveforms on an axis parallel to the first direction while acquiring imaging data", because conventionally in MRI encoding is done by applying magnetic gradients, on a static main magnetic field, and in the Dietrich et al., article the encodings (i.e. interpreted as gradient encodings by the examiner) occur with frequency encoding along X and primary phase encoding along Y augmented by secondary phase encoding in the slab (slice) (i.e. Z) direction. The examiner notes that because the subject is progressively (i.e. continuously) moved in the z-direction that the encoding in the slab slice direction, which occurs while imaging data is acquired, is also parallel to the "first direction" [See Dietrich et al., Figure 1 a and b; col. 1- col. 2 under INTRODUCTION, CONCEPT, and METHODS; especially CONCEPT col. 1 paragraph 1 sentences 1 and 2] The same reasons for rejection, that apply to claim 1 also apply to claim 12. With respect to Claim 22, the Dietrich et al., article suggests "A computer program (i.e. 49. via a DEC alpha workstation) "to control a medical image scanner and create images across scanning boundaries without boundary artifacts, the computer program having a set of instructions to control a computer to:select an FOV spanning an area greater than a predefined optimal imaging area of the medical image scanner; [See Dietrich et al., Discussion col. 2 sentence 1 where the teaching of scanning (i.e. MR scanning) over regions of space that are much longer than supported by limitations in magnet homogeneity, directly suggests that "the desired

FOV is larger than an optimal imaging volume" (i.e. the area of magnetic homogeneity) "of an

Art Unit: 2862

MR scanner;"] **Dietrich et al.**, teaches and suggests "selecting a slab thickness in a first direction" (i.e. 2-4cm) "that is smaller than the desired FOV" (i.e. 2-4cm is less than the desired FOV of 20cm) "and within the optimal imaging volume of the MR scanner;" (i.e. 2-4cm. Is less than the optimal range of 5cm.), [See **Dietrich et al.**, col. 1- col. 2 under METHODS where the slab thickness along z is 2-4cm; with a desired field-of-view (FOV) of 20cm., with an optimal imaging range of 5cm.]

- 50. The Dietrich et al., article also suggests applying "an RF pulse to excite a region in at least a first direction in the selected FOV" [See Dietrich et al., col. 1- col. 2 under METHODS where the use of an RF spoiled gradient echo sequence directly suggests excitation by an RF pulse.] Dietrich et al., teaches and suggests the steps of "applying magnetic field gradients to encode the region in the first direction;" [See Dietrich et al., col. 1 CONCEPT paragraph 1] "acquiring k-space data in the first direction for a subset of at least one additional direction;" [See Dietrich et al., col. 1& 2 CONCEPT paragraphs 1, 2] "continuously reposition the predefined optimal imaging area with respect to an imaging object without interruption of motion;" [See Dietrich et al., col. 1& 2 INTRODUCTION sentence 5, CONCEPT paragraphs 1, 2; Figures 1a and 1b]
- Dietrich et al., also directly suggests the step of "tracking continuous movement of the predefined optimal imaging area with respect to an imaging object;" because Dietrich et al., teaches and / or suggests that the amount of overlap is monitored and controlled so that the subject is moved half a slab width in each full encoding time to ensure equal treatment of all spatial points, which directly suggests that the continuous movement of the optimal image area

Art Unit: 2862

(i.e. the desired slab width, within the field of view) of the subject is tracked. [See **Dietrich et al.**, col. 1& 2 CONCEPT paragraphs 1, 2; the METHODS section and Figures 1a and 1b] **Dietrich et al.**, teaches and suggests "repeating the image data acquisition during continuous movement of the predefined optimal imaging area with respect to an imaging object until complete image data are acquired across the entire FOV to reconstruct an image of the FOV." [See **Dietrich et al.**, col. 1& 2 CONCEPT paragraphs 1, 2; the METHODS section and Figures 1a and 1b; INTRODUCTION sentence 5] The same reasons for rejection, that apply to **claim 1** also apply to **claim 22**.

- 52. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Yoshitome

 Japanese Laid-open Patent Application (kokai) No. H6-311977 disclosed November 8th 1994.

 [The examiner is using the English version of this reference provided by applicant and submitted with applicant's Information Disclosure Statement].
- With respect to Claim 1, Yoshitome teaches and suggests "A method of imaging large volumes" [See Yoshitome H6-311977 page 2 constitution paragraph; page 3 Industrial field of the invention paragraph] "without resulting slab-boundary artifacts" [See Yoshitome H6-311977 page 4 problem to be solved by the invention paragraph] "comprising: defining a desired FOV larger than an optimal imaging volume of an MR scanner;" [See Yoshitome H6-311977 page 5 Action paragraph 6 sentence 1].
- Yoshitome teaches and suggests "selecting a slab thickness in a first direction that is smaller than the desired FOV and within the optimal imaging volume of the MR scanner;" [See Yoshitome H6-311977 page 5 Action paragraph 6 sentence 2], because the examiner considers

Application/Control Number: 09/682,699 Page 19

Art Unit: 2862

the term "subregion" in the context of the **Yoshitome** H6-311977 reference to constitute a "slab" with the "plurality of subregions" comprising applicant's "desired FOV that is larger than an optimal imaging volume of an MR scanner". Additionally, the examiner considers the phrase "the length in the direction of each subregion" to be equivalent to the "thickness" of each 'slab' or subregion. [See **Yoshitome** H6-311977 page 5 Action paragraph 6 sentence 2].

- volume and an imaging object in the first direction" [See Yoshitome H6-311977 pages 9-10 paragraph 24] "while repeatedly exciting and encoding spins with readout in the first direction" (i.e. the motion direction) "to acquire data that is restricted to the selected slab thickness" [See Yoshitome H6-311977 page 10 paragraph 27] "until at least one image of the FOV can be reconstructed. [See Yoshitome H6-311977 pages 9-12 paragraphs 23-37 Figure 8]
- 56. Claim Rejections 35 USC § 103
- 57. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 58. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.

- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 59. Claims 13-14, 30 are rejected under 35 U.S.C. 103(a) as being anticipated by the Dietrich et al., article "Extending the coverage of true volume scans by continuous movement of the subject" from The Robert Steiner Magnetic resonance Unit, Hammersmith Hospital, Du Cane Road, London W12 0HS 1999. in view of Machida US Patent Application Publication US 2002/0115929 A1 published August 22nd 2002 which has an effective filing date available under 35 U.S.C. 102(e) of September 21st 2001. The examiner notes that the instant application is a CIP of US patent application 09/681,420 filed march 30th 2001, however the CIP information of applicant's disclosure has a filing date of October 5th 2001, therefore the Machida reference is available as prior art against the CIP feature of "continuous motion" taught in applicant's claims. With respect to Claim 13, the Dietrich et al., article suggests "processing MR data to 60. account for accrued phase resulting from table velocity; transforming MR data in a z-direction; correcting the MR data for spatial variations in the magnetic field in the direction of motion; and sorting, interpolating, and aligning the transformed MR data to match anatomic locations in the first direction." [See Dietrich et al., Figure 1 a and b; col. 1- col. 2 under INTRODUCTION, CONCEPT, METHODS and Discussion;] the Dietrich et al., article lacks directly teaching the step of "removing unnecessary data at the beginning and ending of each acquisition;" however Machida teaches this limitation [See Machida page 2 paragraph 0039 through page 6 paragraph 88; Figures 4a, 4b, 4c, 4d, 5a, 5b, 6, 7a, and 7b.] It would have been obvious to one of ordinary

skill in the art, at the time that the invention was made that the Machida reference can be

Art Unit: 2862

combined with the teachings of Dietrich et al., because both references teach an MRI method for scanning an area larger than the imaging volume of the magnet by moving the patient continuously through the MR device, and the Machida reference expands on the teachings of the Dietrich et al., reference. The same reasons for rejection, that apply to claim 1 also apply to claim 13.

- With respect to Claim 14, the Dietrich et al., article suggests "reconstructing an MR 61. image by transforming the z-transformed MR data in remaining transverse dimension(s)." [See Dietrich et al., col. 1& 2 CONCEPT paragraphs 1, 2; and Figures 1a and 1b] The same reasons for rejection, obviousness, and motivation to combine that apply to claims 1, 13 also apply to claim 14.
- With respect to Claim 30, the Dietrich et al., article teaches and suggests "selecting a 62. larger slab thickness than that used for imaging, repetitiously acquiring MR data for the larger slab thickness in a direction of table movement; determining a set of overlapping MR data; and estimating at least one of table velocity and table position from the set of overlapping MR data." [See Dietrich et al., Figure 1 a and b; col. 1- col. 2 under INTRODUCTION, CONCEPT, METHODS and Discussion] The same reasons for rejection, obviousness, and motivation to combine that apply to claims 1, 22 also apply to claim 30.
- 63. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- A) Wang US patent 5,928,148 issued July 27th 1999.

Application/Control Number: 09/682,699 Page 22

Art Unit: 2862

B) Yoshitome Japanese Laid-open Patent Application (kokai) No. H6-304153 disclosed

November 1st 1994.

Conclusion

64. Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Tiffany Fetzner whose telephone number is (703) 305-0430. The examiner

can normally be reached on Monday-Thursday from 7:00am to 4:30pm., and on alternate Friday's

from 7:00am to 3:30pm.

65. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Edward Lefkowitz, can be reached on (703) 305-4816. The fax phone number for the

organization where this application or proceeding is assigned is (703)305-3432.

66. Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist whose telephone number is (703) 305-0956.

TAF

February 10, 2003

Triffang a. Letyne

SUPERVISORY PATENT EXAMIN

TECHNOLOGY CENTER 2800